

WOOD'S POWR-GRIP® QUADRA-TILTS 500 & 700




MTA49ACS


500 lbs [225 kg]

MTA411LACS

700 lbs [320 kg]



Featuring Powr-Grip's® innovative Quadra-Tilt linkage, these vacuum lifters provide an ergonomic way to tilt and transfer sheet materials.



	MTA49ACS	MTA411LACS
Load Capacity	500 lbs [225 kg]	700 lbs [320 kg]
Load Movement	Assisted manual tilt, 90° between upright and flat	
Standard Operating Power	120 volts AC, 60 hertz, 6 amps (240 volts AC, 60 hertz, 3 amps also available)	
Standard Features	Twist-lock electrical plug Spring-mounted vacuum pads Green lift light Vacuum gauge Vacuum line filter Blow-off for quick release	
Available Options	Vacuum loss warning buzzer (93780AM) Individual pad shutoffs (93011) Movable pad mounts (special order) Voltage adaptation (special order) Alternative pad compounds, including ones for low-marking, temperature resistant and coated surface applications (special order) Alternative dimensions and configurations of pad frame (special order)	
Alternative Power Systems	DC power system (MTA49DCS, MTA411LDSC) Air (venturi) power system (MTA49AIRS, MTA411LAIRS) (Specifications may not be as listed. Please contact us for more information.)	
Apply	2 seconds (approximately)	
Release	1 second (approximately)	
Standard Pad Spread	36" x 48 1/2" [91 x 123 cm]	
Number / Size of Pads	4 / 9" [23 cm] diameter vacuum pads	4 / 11" [28 cm] diameter vacuum pads, lipped
Lifter Weight	150 lbs [68 kg]	
Design Standards	ASME B30.20 (BTH-1 Design Category "B", Service Class "0") (See www.WPG.com for more information.)	

Based on product information at time of publication. Environmental conditions can affect product performance and longevity; consult the product instructions on WPG.com or contact a Technical Sales Representative for more information.



**THE ORIGINAL
& TRUSTED NAME
IN VACUUM LIFTING
EQUIPMENT**

**800.548.7341
WPG.com**

908 West Main - P.O. Box 368
Laurel, Montana 59044 U.S.A.
406.628.8231 (phone)
406.628.8354 (fax)

Wood's Powr-Grip products are sold through authorized dealers.

Rev. 0.0/ 01-19 Spec. Sheet **7-6**