

Product #: LIQ2020

LIQ2022

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: HazCom 2012

AEGIS® PIT FILLER

Issuing Date 22-Mar-2023 Revision date 14-Aug-2024 Revision Number 23

1. Identification

Product identifier

Product Name AEGIS® PIT FILLER

Other means of identification

LIQ2020 / LIQ2022

Recommended use of the chemical and restrictions on use

Recommended use Adhesives and/or sealants.

Restrictions on use Consumer use.

Details of the supplier of the safety data sheet

Manufacturer

AEGIS Tools International 908 West Main St. Laurel, MT 59044 Tel: 800-548-7341

Fax: 406-628-8354

E-mail address <u>rachaelm@wpg.com</u>

Emergency telephone number 24 Hour Emergency

Phone Number Chemtrec 1-800-424-9300

2. Hazard(s) identification

	Emergency Overview	
Appearance Transparent	Physical state Liquid	Odor Characteristic

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3

Hazards not otherwise classified (HNOC)

Not applicable.

Label elements

Signal word Danger

Hazard statements

Causes skin irritation.
Causes serious eye damage.
May cause an allergic skin reaction.
May cause respiratory irritation.



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Precautionary Statements - Response

Get medical advice/attention if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water.

Take off contaminated clothing and wash before reuse.

IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other information

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

Testing for acute and chronic aquatic effects determined no environmental classification is required. OECD Test No. 202: Daphnia sp., Acute Immobilization Test.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No.	Trade secret	Weight-%
Isobornyl Acrylate	5888-33-5	*	10 - 30
2-Hydroxyethyl methacrylate	868-77-9	*	10 - 30
Acrylic Acid	79-10-7	*	1 - 5
Silane Coupling Agent	Proprietary	*	1 - 5

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Ingestion

Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur. IF exposed or concerned: Get medical advice/attention.

Skin contact

Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

Eve contact

Get immediate medical attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

Self-protection of the first aider

Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Burning sensation. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians

May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical or CO2.

Unsuitable extinguishing media

Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Hazardous combustion products

Carbon dioxide (CO2). Carbon monoxide. Hydrocarbons. Nitrogen oxides (NOx).

Explosion data

Sensitivity to mechanical impact: None. Sensitivity to static discharge: None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Other information

Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections

See section 8 for more information. See section 13 for more information.

7. Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling

Protect from light.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Protect from light.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Acrylic Acid	TWA: 2 ppm S*	(vacated) TWA: 10 ppm (vacated) TWA: 30 mg/m³ (vacated) S*	TWA: 2 ppm TWA: 6 mg/m³

Appropriate engineering controls

Engineering controls

Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

General hygiene considerations

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

Hand protection

Wear suitable gloves. Nitrile rubber, Butyl rubber.

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection

Environmental exposure controls

Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Liquid Transparent Appearance: Color: Colorless Odor: Characteristic

Odor threshold: No information available

Remarks · Method **Property** Values

pH: No data available None known Melting point / freezing point: No data available None known Boiling point / boiling range: No data available None known

Flash point: 101 °C / 213.8 °F Pensky-Martens Closed Cup (PMCC)

Evaporation rate: No data available None known Flammability (solid, gas): No data available None known Flammability Limit in Air None known

Upper flammability or explosive limits: No data available Lower flammability or explosive limits: No data available

Vapor pressure: No data available None known Relative vapor density: No data available None known Relative density: No data available None known

Water solubility: Insoluble in water Solubility(ies): No data available

None known Partition coefficient: No data available None known Autoignition temperature: No data available None known **Decomposition temperature:** None known Kinematic viscosity: No data available None known

4,000 cP Dynamic viscosity:

Other information

No information available **Explosive properties:** Oxidizing properties: No information available No information available Softening point: Molecular weight: No information available No information available **Liquid Density:** No information available **Bulk density:**

10. Stability and reactivity

Reactivity

No information available.

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

Protect from light. Heat, flames and sparks.

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products

None under normal use conditions.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation:

Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.

Eye contact:

Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eves.

Skin contact:

Specific test data for the substance or mixture is not available. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Causes skin irritation.

Ingestion:

Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if swallowed.

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral): 5,073.00 mg/kg
ATEmix (dermal): 6,322.20 mg/kg
ATEmix (inhalation-dust/mist): 56.10 mg/L
ATEmix (inhalation-vapor): 99,999.00 mg/L

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

Component Information:

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Isobornyl Acrylate	= 4890 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
2-Hydroxyethyl methacrylate	= 5050 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
Acrylic Acid	= 193 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 11.1 mg/L(Rat)1 h = 3.6 mg/L(Rat)4 h
Silane Coupling Agent	= 7.01 g/kg (Rat)	= 3.97 mg/kg (Rat)	> 5.3 mg/L(Rat)4 h

Symptoms related to the physical, chemical and toxicological characteristics

Redness. Burning. May cause blindness. Itching. Rashes. Hives. May cause redness and tearing of the eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation: Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation: Classification based on data available for ingredients. Causes burns. Risk of serious

damage to eyes.

Respiratory or skin sensitization: May cause sensitization by skin contact.

Germ cell mutagenicity: Not classified. Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Acrylic Acid	-	Group 3	1	-

Legend:

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity: Not classified. Based on available data, the classification criteria are not met.

STOT - single exposure: May cause respiratory irritation.

STOT - repeated exposure: Not classified. Based on available data, the classification criteria are not met.

Target organ effects: Respiratory system. Eyes. Skin.

Aspiration hazard: Not classified. Based on available data, the classification criteria are not met.

12. Ecological information

Product Information

Testing for acute and chronic aquatic effects determined no environmental classification is required. OECD Test No. 202: Daphnia sp., Acute Immobilization Test.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Look away d. A aw data	ErC 50 = 2.7 mg/L 96h	LC50: =0.704mg/L 96h	EC 50 = 1.1 mg/L 48h
Isobornyl Acrylate	(Pseudokirchneriella subcapitata)	(Danio rerio)	(Daphnia magna)
		LC50: 213 - 242mg/L	
2-Hydroxyethyl methacrylate		(96h, Pimephales promelas)	EC50 > 380 mg/L 48h
2-Hydroxyethyl methaciylate	-	LC50: =227mg/L	(Daphnia magna)
		(96h, Pimephales promelas)	
	EC50: =0.04mg/L	LC50: =222mg/L	EC50: =95mg/L (48h,
Acrylic Acid	(72h, Desmodesmus subspicatus)	(96h, Brachydanio rerio) NOEC:	Daphnia magna)
Acrylle Acid	EC50: =0.17mg/L	>= 10.1mg/L (45d,	NOEC: =3.8mg/L
	(96h, Pseudokirchneriella subcapitata)	Oryzias latipes, OECD 210)	(21d, Daphnia magna)
Silane Coupling Agent		LC50: =55mg/L	
Sharle Coupling Agent	<u>-</u>	(96h Cyprinus carpio)	-

Persistence and degradability

No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Isobornyl Acrylate	4.52
2-Hydroxyethyl methacrylate	0.42
Acrylic Acid	0.46

Other adverse effects

No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Dispose of contents/containers in accordance with local regulations.

15. Regulatory information

IMDGNot RegulatedIATANot RegulatedDOTNot Regulated

International Inventories

Commercial Activity Designation – Active

TSCA Complies

AIIC Low Volume Exemption (LVE)

DSL/NDSL Complies EINECS/ELINCS Complies

ENCS Small Volume Exemption (SVE)

IECSC Complies

KECL Polymer of Low Concern (PLC)

PICCS Not Listed NZIOC Complies

TCSI Polymer of Low Concern (PLC) Low Volume Exemption (LVE)

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

AIICS - Australian Industrial Chemicals Introduction Scheme

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS
- Japan Existing and New Chemical Substances
- China Inventory of Existing Chemical Substances
- KECL
- Korean Existing and Evaluated Chemical Substances
- Philippines Inventory of Chemicals and Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

TCSI - Taiwan Chemical Substance Inventory

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Acrylic Acid	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Acrylic Acid	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Acrylic Acid	X	X	X
1 – 5 %			

U.S. EPA Label Information

EPA Pesticide Registration Number

Not applicable

16. Other information

NFPAHealth hazards 3Flammability 1Instability 0Special hazards -HMISHealth hazards 3Flammability 1Physical hazards 0Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA (time-weighted average)	STEL (Short Term Exposure Limit)
Ceiling: Maximum limit value	*: Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 14-Aug-2024

Revision NoteThe symbol (*) in the margin of this SDS indicates that this line has been revised

Disclaimer

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of AEGIS TOOLS INTERNATIONAL and its subsidiaries and affiliates (AEGIS). The information in this SDS relates only to the specific material designated herein. AEGIS assumes no legal responsibility for use of or reliance upon the information in this SDS.

End of Safety Data Sheet