

Product #: LIQ2030

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: HazCom 2012

AEGIS® PIT POLISH

Issuing Date 01-Aug-2023

Revision date 01-Aug-2023

Revision Number 4

1. Identification

<u>Product identifier</u> Product Name	AEGIS® PIT POLISH				
Other means of identification	LIQ2030				
Recommended use of the chemical and	restrictions on use				
Recommended use	Polish. For professional use only.				
Restrictions on use	No information available.				
Details of the supplier of the safety d	ata sheet				
Manufacturer AEGIS Tools International 908 West Main St. Laurel, MT 59044 Tel: 800-548-7341 Fax: 406-628-8354					
E-mail address	rachaelm@wpg.com				
Emergency telephone number 24 Hor	ur Emergency				
Phone Number	Chemtrec 1-800-424-9300				
2. Hazard(s) identification					
	Emergency Overview				
Appearance White	Physical state Liquid	Odor Vanilla			

Classification

Aspiration toxicity	Category 1 – (H304)
Flammable liquids	Category 3 – (H226)

Hazards not otherwise classified (HNOC)

Not applicable.

Label elements

Signal word

Danger

Hazard statements

May be fatal if swallowed and enters airways. Flammable liquid and vapor.



Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ ventilating/ lighting/ equipment Use non-sparking tools Take precautionary measures against static discharge Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Get medical advice/attention if you feel unwell. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting In case of fire: Use CO2, dry chemical, or foam to extinguish.

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other information

Toxic to aquatic life with long lasting effects. Toxic to aquatic life.

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

3. Composition/information on ingredients

Chemical name	CAS No	Weight-%
Distillates (petroleum), hydrotreated light	64742-47-8	7 - 13
Kaolin	92704-41-1	5 - 10
Hydrotreated Naphtha, Heavy (Mineral Spirits, Stoddard Solvent)	64742-48-9	1 - 5

4. First-aid measures

Description of first aid measures

General advice

If symptoms persist, call a physician.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician. Do NOT induce vomiting.

Inhalation

Immediate medical attention is not required. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition products.

Skin contact

Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.

Self-protection of the first aider

Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

See section 2 for more information.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media

Use dry chemical, Carbon dioxide (CO2), Water spray (fog), Alcohol resistant foam.

Unsuitable extinguishing media

None

Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

Hazardous combustion products

Carbon oxides.

Explosion dataSensitivity to mechanical impact:None.Sensitivity to static discharge:None.

Special protective equipment and precautions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. Use personal protective equipment as required.

Environmental precautions

See section 12 for additional ecological information. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use personal protective equipment as required. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling

Use with local exhaust ventilation. All equipment used when handling the product must be grounded. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.

Incompatible materials

Strong oxidizing agents

8. Exposure controls/personal protection

Control parameters

Exposure Guidelines NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering controls Showers, Eyewash stations, Ventilation systems

Individual protection measures, such as personal protective equipment

General hygiene considerations When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

Eye/face protection Tight sealing safety goggles.

Skin and body protection

Wear protective natural rubber, nitrile rubber, Neoprene, or PVC gloves.

Respiratory protection

Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.

9. Physical and chemical properties

Revision Date 01-Aug-2023

Information on basic physical and chemical properties

Physical state: Appearance: Odor: Odor threshold:

Property

pH: Melting point / freezing point: Boiling point / boiling range: Flash point: **Evaporation rate:** Flammability (solid, gas): Flammability Limit in Air Upper flammability or explosive limits: Lower flammability or explosive limits: Vapor pressure: Vapor density: **Relative density:** Water solubility: Solubilitv(ies): Partition coefficient: Autoignition temperature: **Decomposition temperature:** Kinematic viscosity: **Dynamic viscosity: Explosive properties: Oxidizing properties:**

Other information Softening point:

Molecular weight: VOC Content (%): Density: Bulk density: SADT: (self-accelerating decomposition temperature)

10. Stability and reactivity

Reactivity

No information available.

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization None under normal processing.

<u>Conditions to avoid</u> Heat, flames and sparks.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products Carbon oxides Liquid White Vanilla No information available

Values

No data available No data available No data available 66 °C / 151 °F No data available No data available

No data available No data available No data available No data available No data available No data available No data available No data available No data available No data available No data available No data available No data available No data available

No information available No information available No information available No information available No information available No information available

Remarks · Method

No information available No information available

No information available No information available No information available No information available No information available No information available No information available No information available No information available No information available No information available No information available No information available No information available No information available No information available

Version 4

11. Toxicological information

Information on likely routes of exposure

Inhalation:

May cause irritation of respiratory tract. **Eye contact:** Contact with eyes may cause irritation. May cause redness and tearing of the eyes. **Skin contact:** May cause skin irritation and/or dermatitis. **Ingestion:** Ingestion may cause irritation to mucous membranes.

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document:ATEmix (oral):14108 mg/kgATEmix (dermal):11463 mg/kg

Component Information:

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Distillates (petroleum), hydrotreated light	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 5.2 mg/L (Rat) 4h
Kaolin	> 2000 mg/kg (Rat)	-	-
Hydrotreated Naphtha, Heavy (Mineral Spirits, Stoddard Solvent)	> 6000 mg/kg (Rat)	> 3160 mg/kg(Rabbit)	> 8500 mg/m³ (Rat) 4h

Symptoms related to the physical, chemical and toxicological characteristics

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization: No information available.

Germ cell mutagenicity: No information available.

Carcinogenicity: The table below indicates whether each agency has listed any ingredient as a carcinogen. IARC (International Agency for Research on Cancer) Not classifiable as a human carcinogen

12. Ecological information

Ecotoxicity

Persistence and degradability No information available.

Bioaccumulation No information available.

Mobility No information available.

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Disposal of wastes

This material, as supplied, is a hazardous waste according 40 CFR 261. Dispose of in accordance with local regulations.

Revision Date 01-Aug-2023

Version 4

Contaminated packaging

Do not reuse container

US EPA Waste Number: U088 U122 D001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport information

Note:	This information is not intended to convey all specific regulatory information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.
IMDG Proper shipping name	Not regulated
IATA Proper shipping name	Not regulated
DOT UN/ID No Proper shipping name Hazard Class Packing Group Special Provisions Marine Pollutant	NA1993 Combustible Liquids, n.o.s, (Petroleum Distillates) 3 III IB3, T1, T4, TP1 No

15. Regulatory information

International Inventories

Legend: TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances - Japan Existing and New Chemical Substances ENCS - China Inventory of Existing Chemical Substances IECSC KECL - Korean Existing and Evaluated Chemical Substances - Philippines Inventory of Chemicals and Chemical Substances PICCS - Australian Inventory of Chemical Substances AICS

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

<u>SARA</u>	<u>. 31</u>	<u>1/31</u>	12 Ha	azard	Cate	pories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	Yes

Sudden release of pressure hazardNoReactive HazardNo

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
ETHANOL, 2,2'-IMINOBIS- 111-42-2	Carcinogen
Titanium Dioxide 13463-67-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Copper (II) nitrate 3251-23-8	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information					
NFPA	Flammability 2	Instability 0	Special hazards –		
HMIS	Flammability 2	Physical hazards 0	Personal protection B		

Revision date 01-Aug-2023

Disclaimer

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of AEGIS TOOLS INTERNATIONAL and its subsidiaries and affiliates (AEGIS). The information in this SDS relates only to the specific material designated herein. AEGIS assumes no legal responsibility for use of or reliance upon the information in this SDS.

End of Safety Data Sheet